


VRCUTTM

CUT WITH CONFIDENCE

A revolutionary tool to
create and cut documents
with ease on select
Triumph cutters



LYTRODTM
SOFTWARE

CUT WITH CONFIDENCE

VRCut is a groundbreaking PC software solution designed to automate the cutting workflow by promoting an efficient and error-free cutting process from start to finish. VRCut intelligently bridges the gap between pre-press and the finishing process, allowing operators of any experience level the ability to cut with confidence on select Triumph cutters.

The VRCut solution consists of two independent modules that work together. The Impose module creates PDF documents formatted specifically to work with the VRCUT Controller module. The Controller module connects directly to the Triumph cutter moving the back gauge and visually guiding operators through the cutting sequence.

TWO MODULES, ONE INTEGRATED WORKFLOW

VRCUT IMPOSE

The VRCut Impose module is a standalone PC imposition software that transforms your artwork into PDFs laid out specifically for optimized cutting on the VRCut enabled Triumph cutter. The software places a template barcode and innovative visual markers that enable an automated cutting process. Consolidate your workflows by taking advantage of the software's data merge feature.

Business card artwork is imposed into a PDF print file.




A barcode is automatically created that can be scanned for error-free job recall on the Triumph cutter.




As an additional guidance measure, cut sequence numbers and arrows are optionally printed on the sheet to guide the operator.

VRCUT CONTROLLER

The VRCut PC Controller module connects directly to your Triumph cutter for automatic back gauge movement and provides a step-by-step visual interface. The operator simply scans the document barcode to load the corresponding template and artwork to start the job. The software gives the operator visual indication of paper orientation, paper rotation between cuts, when to discard scraps, and how to process cut sheets. This first of its kind software simplifies the task of cutting, which allows operators with all levels of experience to **cut with confidence!**




Current step and cut-line indicator arrow are highlighted in the upper left hand corner.



A prominent arrow is displayed if the current step requires a rotation action from the operator.

Rotation	Instruction
0	Jog to square
90 CW	1 scrap(s) to
90 CW	1 scrap(s) to
0	1 scrap(s) to
0	Stack(s) to
0	1 scrap(s) to

Step	Back Gauge	Rotation	Instructions
1	11.551"	0	Jog to square stack; 18" edge feed
2	17.6"	90 CW	1 scrap(s) to trash
3	11.043"	90 CW	1 scrap(s) to trash
4	7.843"	0	1 scrap(s) to trash
5	7.272"	90 CW	Stack(s) to workbench
6	3.772"	0	1 scrap(s) to trash
7	3.5"	0	Stack(s) to workbench
8	16"	90 CW	1 scrap(s) to trash. Stack(s) from workbench
9	14"	0	3 scrap(s) to trash
10	12"	0	Finished cards to palette
11	10"	0	Finished cards to palette
12	8"	0	Finished cards to palette
13	6"	0	Finished cards to palette



An orange line appears indicating the cut line.


Operator is notified visually and via audio cues at each step when to discard paper scraps, save cut segments for additional cutting and set aside finished product for shipment.

VRCut[™] Ready TRIUMPH[®]

VRCut software is bundled with these world renowned Triumph Cutters; known for their safety, power, precision, and ease of operation.



Order your VRCut Controller Hardware Kit at no cost*



* VRCut Controller Hardware Kit available at no cost upon request for VRCut Ready Triumph cutters purchased after April 1, 2023.

BindRite
www.bindrite.com

LYTROD
SOFTWARE

MBM

©2024 Lytro Software, Inc. All rights reserved. Unauthorized duplication is a violation of applicable law. Lytro Software, the Lytro logo and the VRCut logo are registered trademarks of Lytro Software, Inc. MBM logo is a registered trademark of MBM Corporation. v5-1124

Annual Licensing

1st year bundled with select Triumph cutters

Internet Access

Activation, licensing & updates require internet access

Hardware for VRCut Controller:

Operating System: Windows 7, 8, 10 and 11
Minimum Screen Resolution: 1440x900
Cutter Connectivity: USB Port 2.0 or higher
Optional: Barcode reader (if a USB splitter is required with your PC/Tablet, it must have its own power source)

Hardware for VRCut Impose:

Operating System: Windows 10 Windows 11 Mac OS via Parallels Desktop for Mac