

OFFICE LINE

A SOLUTION FOR EVERY APPLICATION



RENZ RING WIRE® - WIRE COMB BINDING

Recognised as a smart, secure, up-market presentation favoured by professionals. Used for majority of calendar production. 360 degree page turn allowing document to be opened completely flat or folded back on itself. Pages remain in perfect registration when turned. Suitable for binding documents up to 13.5 mm (3:1 pitch) and up to 34 mm (2:1 pitch) thickness. Renz is the worlds largest manufacturer of wire combs in PREMIUM - QUALITY.





3:1

RW HOME

3:1 pitch entry-level desktop home range for manual punching and binding. For use with low volumes of books at home

WIRE|GO 3:1

Manual punching and binding machine designed for regular use in a small to medium sized office.

SRW 360


Manual punching and binding machine designed for regular use in a small to medium sized office.

SRW 360 COMFORT +

Electric punching and manual binding machine designed for regular use in a small to medium sized office. It takes the manual labour out of punching.

Format:	10 - 300 mm	10 - 300 mm	10 - 360 mm	10 - 360 mm
Max. punching thickness:	1 mm	2 mm	2.2 mm	2.2 mm
Selctable punch pins (QSA):	No	No	Yes	Yes
Variable margin depth:	No	No	Yes	Yes
Binding thickness:	1 - 12 mm	1 - 13.5 mm	1 - 13.5 mm	1 - 13.5 mm
No of books output:(1)	50 per hr.	200 per h	200 per hr.	250 per hr.
No of calendars output:(1)	_	_	160 per hr.	180 per hr.
ArtNo.:	26310060	27310040	27310020	27310300

3:1 PITCH



3 holes per inch Punch pattern: 4 x 4 mm Max. binding thickness up to 13,5 mm 34 rings / A4 24 rings / A5 32 rings / 11" 25 rings / 8.5"





2:1

WIRE|GO 2:1

Manual punching and binding machine designed for regular use in a small to medium sized office.

ECO S 360


Manual punching and binding machine designed for regular use in a small to medium sized office.

ECO 360 COMFORT +

Electric punching and manual binding machine designed for regular use in a small to medium sized office. It takes the manual labour out of punching

Format:	10 - 300 mm	10 - 360 mm	10 - 360 mm
Max. punching thickness:	2 mm	2.5 mm	2.5 mm
Selectable punch pins (QSA):	No	Yes	Yes
Variable margin depth:	No	Yes	Yes
Binding thickness:	1 - 28 mm	1 - 34 mm	1 - 34 mm
No of books output:(1)	200 per h	200 per hr.	250 per hr.
No of calendars output:(1)	-	160 per hr.	180 per hr.
ArtNo.:	27210040	27210020	27210300

2:1 PITCH



2 holes per inch Punch pattern: 3,5 x 5,5 mm Max. binding thickness 34,0 mm 23 rings / A4 16 rings / A5 21 rings / 11" 16 rings / 8.5"













